

Notice of Allowability

Application No.

10/624,497

Examiner

Ing-Hour Lin

Applicant(s)

RAY ET AL.

Art Unit

1725

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to 8/25/04.
2. ☒ The allowed claim(s) is/are 1-23 and 25-27.
3. ☒ The drawings filed on 23 July 2003 are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
 6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☒ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☒ Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date 8/25/04
4. ☐ Examiner's Comment Regarding Requirement for Deposit
of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☒ Interview Summary (PTO-413),
Paper No./Mail Date 120804
7. ☒ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____

Art Unit: 1725

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Anthony P. Venturino on December 8, 2004.

The application has been amended as follows:

IN THE CLAIMS

In claim 1, line 6, after "microns" inserted was --, and wherein the graphite of the substrate of the mold has isotropic grains with grain size between 3 and 10 microns, flexural strength between about 7,000 and 20,000 psi, compressive strength between about 12,000 and 35,000 psi, and porosity below about 13%--.

In claim 25, line 3, after "17,000" the word "psi" was deleted; and after "35,000" inserted was --psi--.

Claims 24 and 28-37 were canceled. However, attorney reserved the right to file divisional application.

Reasons for Allowance

The following is an examiner's statement of reasons for allowance: The prior art record fails to teach or suggest the combination of steps in a method of making cast shapes of a metallic

Art Unit: 1725

alloy, comprising: pouring a melt of alloy into a composite mold comprising a substrate of isotropic graphite having a mold cavity, wherein the surface of the mold cavity is coated with a coating of refractory metal such as W or Re or a refractory metal carbide such as TaC or HfC having a thickness from 2 to 500 microns, and an isotropic graphite mold having a cavity; and means for rotating the mold, wherein the mold surface is coated with either hafnium carbide or tungsten or rhenium, and wherein the graphite of the substrate of the mold has isotropic grains with grain size between 3 and 10 microns, flexural strength between about 7,000 and 20,000 psi, compressive strength between about 12,000 and 35,000 psi, and porosity below about 13%. Therefore, the claimed feature is allowable over the art of record.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Ing-Hour Lin whose telephone number is (571) 272-1180. The examiner can normally be reached on M-F (8:00-5:30) Second Friday Off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Tom Dunn can be reached on (571) 272-1171. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 1725

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

I. H. L.

I.-H. Lin

12-8-04

KILEY S. STONER
PRIMARY EXAMINER

Kiley Stoner 12/13/04